

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-5 (cancelled)

6. (previously amended) The template of claim 24 further comprising:
- a first region adapted to represent a first amount of pronation of the foot in the second position; and
 - a second region adapted to represent a second amount of pronation of the foot in the second position.

Claims 7-8 (cancelled)

9. (previously amended) The template of claim 24 wherein the template includes an alignment guide is adapted to align the foot in a subtalar-joint-neutral position.
10. (previously amended) A device for assessing pronation in the foot, the device comprising:
- an elongated marker adapted for application to a talar-head region of the foot and adapted to aid visual inspection of the foot in a first position and a second position;
 - a template adapted to align the foot in the first or second position, the template being adapted to allow a determination of an alignment of the foot on the template in a neutral position used as a reference point for determining a degree of supination or pronation.

11. (withdrawn) A method of assessing the amount of pronation in a foot, the method comprising:

observing the talar-head region of the foot in a subtalar-joint-neutral position; and
assessing the amount of pronation by watching the talar-head region of the foot rotate from the subtalar-joint-neutral position to a relaxed position, wherein the observing is facilitated by placing a marker on a test subject's anatomy allowing for observation of the motion of the talus from a first position to a second position, and wherein a template is provided for allowing alignment of the foot in the first or second position, and aligning a test subject's foot in a first or second position..

Claims 12-13 (cancelled)

14. (withdrawn) The method of claim 11 further comprising selecting footwear based on the amount of pronation.

Claims 15-18 (cancelled)

19. (withdrawn) The method of claim 14, where the amount of pronation is matched to one or more items of footwear stored in an electronic database.

Claim 20 (cancelled)

21. (withdrawn) A device for assessing pronation in the foot, the device comprising:
a marker attachable to the anatomy of a test subject and allowing for observation of the

motion of the talus from a first position to a second position based on transmission of light; and
a processor for calculating the displacement and relating the displacement to an amount
of pronation.

22. (withdrawn) The device of claim 21 further comprising an output device for displaying
the amount of pronation.

23. (withdrawn) The device of claim 21 further comprising a database for storing a selection
of footwear related to the amount of pronation of the foot.

24. (previously amended) A foot assessment device comprising a marker attachable to
anatomy of a test subject allowing for observation of the motion of the talus from a first
position to a second position, and a template to align the foot in the first or second
position to determine an angular displacement of the foot, the template being adapted to
allow a determination of an alignment of the foot on the template in a neutral position
used as a reference point for determining a degree of supination or pronation.

25. (previously presented) The foot assessment device of claim 24 wherein a light source is
used for observing the motion of the talus.

26. (cancelled)

27. (previously presented) The foot assessment device of claim 26 wherein a light source is
used as the means for observing the motion of the talus.

28. (withdrawn) A method of assessing displacement of the talus relative to an axis of the foot, comprising placing a marker on the anatomy of a test subject that enables tracking of the movement of the talus relative to the axis, and providing a template for aligning the foot in a first or second position, and observing the displacement of the talus as indicated by the marker relative to the first or second position.
29. (previously presented) The device of claim 10 wherein the neutral position is a subtalar joint neutral position.
30. (previously presented) The device of claim 10 wherein the neutral position corresponds to a foot's transmalleolar axis.
31. (previously presented) The device of claim 24 wherein the neutral position is a subtalar joint neutral position.
32. (previously presented) The device of claim 24 wherein the neutral position corresponds to a foot's transmalleolar axis.
33. (previously presented) The device of claim 10 wherein the template comprises a first plate adjustable with respect to a second plate, for facilitating placement of a foot in a neutral position used as a reference point for determining a degree of supination or pronation.

- —
34. (previously presented) The device of claim 24 wherein the template comprises a first plate adjustable with respect to a second plate, for facilitating placement of a foot in a neutral position used as a reference point for determining a degree of supination or pronation.